# This Page Is Inserted by IFW Operations and is not a part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

BIOTECHNOLOGY SYSTEMS BRANCH

## RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/674,496A

Source: /600

Date Processed by STIC: ///7/2002

RECEIVED

TECH CENTER 1600/2900

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<a href="http://www.uspto.gov/ebc/efs/downloads/documents.htm">http://www.uspto.gov/ebc/efs/downloads/documents.htm</a>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
- 3. Hand Carry directly to:
  - U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7<sup>th</sup> Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
  - U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
- Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002

#### Raw Sequence Listing Error Summary

ERROR DETECTED	SUGGESTED CORRECTION SERIAL NUMBER: 09/674, 496 A	
ATTN: NEW RULES CASES	: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWAI	RI
1Wrapped Nucleics Wrapped Aminos	The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping."	
2Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.	
3Misaligned Amino Numbering	The numbering under each 5 <sup>th</sup> amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead.	
4Non-ASCII	The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.	
5Variable Length	Sequence(s) contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.	
6PatentIn 2.0 "bug"	A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s) Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.	
7Skipped Sequences (OLD RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence:  (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)  (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading)  (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)  This sequence is intentionally skipped	
	Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences.	
8Skipped Sequences (NEW RULES)	Sequence(s) missing. If Intentional, please insert the following lines for each skipped sequence. <210> sequence id number <400> sequence id number 000	
Use of n's or Xaa's (NEW RULES)	Use of n's and/or Xaa's have been detected in the Sequence Listing.  Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present.  In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.	
0Invalid <213> Response	Per 1.823 of Sequence Riles, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species). <220>-<223> section is required when <213> response is Unknown or is Artificial Sequence	ķ.
1Use of <220>	Sequence(s) missing the <220> "Feature" and associated numeric identifiers and responses.  Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section.  (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)	
2PatentIn 2.0 "bug"	Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.	
3Misuse of n	n can only be used to represent a single nucleotide in a nucleic acid sequence. N is not used to represent any value not specifically a nucleotide.	

AMC/MH - Biotechnology Systems Branch - 08/21/2001



1600

RAW SEQUENCE LISTING

DATE: 11/07/2002

PATENT APPLICATION: US/09/674,496A

TIME: 15:36:04

Input Set : A:\199463USOXPCT.ST25.txt
Output Set: N:\CRF4\11072002\1674496A.raw

```
Does Not Comply
      3 <110> APPLICANT: BERNARD, DELOBEL
                                                                       Corrected Diskette Needed
             ANNIE, GRENIER
      5
              JACQUES, GUEGEN
      6
              ERIC, FERRASSON
              MBAIGUINAM, MBAILAO
      9 <120> TITLE OF INVENTION: USE OF POLYPEPTIDE DERIVED FROM A PA 1B LEGUME ALBUMEN AS
INSECTICIDE
     11 <130> FILE REFERENCE: 199463USOXPCT
     13 <140> CURRENT APPLICATION NUMBER: US 09/674,496A
     14 <141> CURRENT FILING DATE: 2001-01-11
     16 <150> PRIOR APPLICATION NUMBER: PCT/FR99/01085
     17 <151> PRIOR FILING DATE: 1999-05-07
     19 <150> PRIOR APPLICATION NUMBER: FR 98/05877
     20 <151> PRIOR FILING DATE: 1998-05-11
     22 <160> NUMBER OF SEQ ID NOS: 8
                                                        variable length is not permitted-
sel item 5 on Enn Summay Sheet
     24 <170> SOFTWARE: PatentIn version 3.1
     26 <210> SEQ ID NO: 1
     27 <211> LENGTH: 13
     28 <212> TYPE: PRT
     29 <213> ORGANISM: ARTIFICIAL SEQUENCE
     31 <220> FEATURE:
     32 <223> OTHER INFORMATION: SYNTHETIC PEPTIDE,\langleRESIDUES 1, 3, 5, 7, 9, 11, AND 13 MAY 
m BS
              XIMUM OF 10, 5, 10, 10, 4, 15, AND 10 AMINO ACIDS, (RESPECTFULLY) do you mean, AND SOME OF THESE AMINO ACIDS MAY BE MISSING. "respectively
A MA
              AND SOME OF THESE AMINO ACIDS MAY BE MISSING.
     36 <220> FEATURE:
     37 <221> NAME/KEY: MISC FEATURE
     38 <222> LOCATION: (1)..(1)
     39 <223> OTHER INFORMATION: X IS ANY ONE AMINO ACID
     42 <220> FEATURE:
     43 <221> NAME/KEY: MISC FEATURE
     44 <222> LOCATION: (3)..(3)
     45 <223> OTHER INFORMATION: X IS ANY ONE AMINO ACID
     48 <220> FEATURE:
     49 <221> NAME/KEY: MISC FEATURE
     50 <222> LOCATION: (5)..(5)
     51 <223> OTHER INFORMATION: X IS ANY ONE AMINO ACID
     54 <220> FEATURE:
     55 <221> NAME/KEY: MISC FEATURE
     56 <222> LOCATION: (7)...(7)
     57 <223> OTHER INFORMATION: X IS ANY ONE AMINO ACID
     60 <220> FEATURE:
     61 <221> NAME/KEY: MISC_FEATURE
     62 <222> LOCATION: (9)..(9)
```

63 <223> OTHER INFORMATION: X IS ANY ONE AMINO ACID

DATE: 11/07/2002

TIME: 15:36:04

#### Input Set : A:\199463USOXPCT.ST25.txt Output Set: N:\CRF4\11072002\I674496A.raw 66 <220> FEATURE: 67 <221> NAME/KEY: MISC FEATURE / 68 <222> LOCATION: (11)..(11) 69 <223> OTHER INFORMATION: X IS ANY ONE AMINO ACID 72 <220> FEATURE: 73 <221> NAME/KEY: MISC FEATURE 74 <222> LOCATION: (13)..(13) 75 <223> OTHER INFORMATION: X IS ANY ONE AMINO ACID 78 <400> SEQUENCE: 1 W--> 80 Xaa Cys Xaa Cys Xaa Cys Xaa Cys Xaa Cys Xaa 84 <210> SEQ ID NO: 2 85 <211> LENGTH: 7 86 <212> TYPE: PRT 87 <213> ORGANISM: ARTIFICIAL SEQUENCE 89 <220> FEATURE: 90 <223> OTHER INFORMATION: SYNTHETIC PEPTIDE 92 <220> FEATURE: 93 <221> NAME/KEY: MISC FEATURE 94 <222> LOCATION: (1)..(1) 95 <223> OTHER INFORMATION: X is an amino acid chosen from alanine, serine, glycine and threo 96 nine 99 <220> FEATURE: 100 <221> NAME/KEY: MISC FEATURE 101 <222> LOCATION: (2)..(2) 102 <223> OTHER INFORMATION: X is proline 105 <220> FEATURE: 106 <221> NAME/KEY: MISC FEATURE 107 <222> LOCATION: (6)..(6) 108 <223> OTHER INFORMATION: X is proline 111 <220> FEATURE: 112 <221> NAME/KEY: MISC FEATURE 113 <222> LOCATION: (7)..(7) 114 <223> OTHER INFORMATION: X is proline 117 <220> FEATURE: 118 <221> NAME/KEY: MISC FEATURE 119 <222> LOCATION: (3)..(3) 120 <223> OTHER INFORMATION: X is an amino acid chosen from phenylalanine, tryptophan and tyro 121 sine 124 <220> FEATURE: 125 <221> NAME/KEY: MISC FEATURE 126 <222> LOCATION: (4)..(4) 127 <223> OTHER INFORMATION: X is an amino acid chosen from aspartic acid or glutamic acid 130 <220> FEATURE: 131 <221> NAME/KEY: MISC FEATURE 132 <222> LOCATION: (5)..(5) 133 <223> OTHER INFORMATION: X is an amino acid chosen from valine, leucine, isoleucine and me 134 thionine 137 <400> SEQUENCE: 2

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/674,496A

DATE: 11/07/2002

```
Input Set : A:\199463USOXPCT.ST25.txt
                     Output Set: N:\CRF4\11072002\I674496A.raw
W--> 139 Xaa Xaa Xaa Xaa Xaa Xaa
     140 1
     143 <210> SEQ ID NO: 3
     144 <211> LENGTH: 4
     145 <212> TYPE: PRT
     146 <213> ORGANISM: ARTIFICIAL SEQUENCE
     148 <220> FEATURE:
     149 <223> OTHER INFORMATION: SYNTHETIC PEPTIDE
     151 <220> FEATURE:
     152 <221> NAME/KEY: MISC FEATURE
     153 <222> LOCATION: (2)..(2)
     154 <223> OTHER INFORMATION: X is an amino acid chosen from alanine, serine, glycine and
threo
     155
               nine
     158 <220> FEATURE:
     159 <221> NAME/KEY: MISC FEATURE
     160 <222> LOCATION: (4)..(4)
     161 <223> OTHER INFORMATION: X is an amino acid chosen from alanine, serine, glycine,
threonin
               e, aspartic acid and glutamic acid
     162
     165 <220> FEATURE:
     166 <221> NAME/KEY: MISC FEATURE
     167 <222> LOCATION: (3)..(3)
     168 <223> OTHER INFORMATION: X is an amino acid chosen from alanine, serine, glycine,
threonin
               e and a basic residue
     172 <220> FEATURE:
     173 <221> NAME/KEY: MISC FEATURE
     174 <222> LOCATION: (1)..(1)
     175 <223> OTHER INFORMATION: X is an amino acid chosen from alanine, serine, glycine,
threonin
     176
               e and a basic residue
     179 <400> SEQUENCE: 3
W--> 181 Xaa Xaa Xaa Xaa
     182 1
     185 <210> SEQ ID NO: 4
     186 <211> LENGTH: 9
     187 <212> TYPE: PRT
     188 <213> ORGANISM: ARTIFICIAL SEQUENCE
     190 <220> FEATURE:
     191 <223> OTHER INFORMATION: SYNTHETIC PEPTIDE
     193 <220> FEATURE:
     194 <221> NAME/KEY: MISC FEATURE
     195 <222> LOCATION: (1)..(1)
     196 <223> OTHER INFORMATION: X is an amino acid chosen from valine, leucine, isoleucine
and me
     197
              thionine
     200 <220> FEATURE:
     201 <221> NAME/KEY: MISC_FEATURE
     202 <222> LOCATION: (3)..(3)
     203 <223> OTHER INFORMATION: X is an amino acid chosen from valine, leucine, isoleucine
and me
     204
               thionine
```

PATENT APPLICATION: US/09/674,496A TIME: 15:36:04

RAW SEQUENCE LISTING

207 <220> FEATURE: 208 <221> NAME/KEY: MISC\_FEATURE

## RAW SEQUENCE LISTING DATE: 11/07/2002 PATENT APPLICATION: US/09/674,496A TIME: 15:36:04

Input Set : A:\199463USOXPCT.ST25.txt
Output Set: N:\CRF4\11072002\1674496A.raw

```
209 <222> LOCATION: (2)..(2)
     210 <223> OTHER INFORMATION: X is proline
     213 <220> FEATURE:
     214 <221> NAME/KEY: MISC FEATURE
     215 <222> LOCATION: (4)..(4)
     216 <223> OTHER INFORMATION: X is an amino acid chosen from alanine, serine, glycine and
     217
             nine
     220 <220> FEATURE:
     221 <221> NAME/KEY: MISC FEATURE
     222 <222> LOCATION: (8)..(8)
     223 <223> OTHER INFORMATION: X is an amino acid chosen from alanine, serine, glycine and
threo
     224
              nine
     227 <220> FEATURE:
     228 <221> NAME/KEY: MISC FEATURE
     229 <222> LOCATION: (6)..(6)
     230 <223> OTHER INFORMATION: X is an amino acid chosen from valine, leucine, isoleucine,
methi
              onine, phenylalanine, tryptophan and tyrosine
     231
     234 <220> FEATURE:
     235 <221> NAME/KEY: MISC FEATURE
     236 <222> LOCATION: (9)..(9)
     237 <223> OTHER INFORMATION: X is an amino acid chosen from phenylalanine, tryptophan and
tyro
     238
              sine
     241 <220> FEATURE:
     242 <221> NAME/KEY: MISC FEATURE
     243 <222> LOCATION: (5)..(5)
     244 <223> OTHER INFORMATION: X is an amino acid chosen from valine, leucine, isoleucine
and me
     245
              thionine
     248 <220> FEATURE:
     249 <221> NAME/KEY: MISC FEATURE
     250 <222> LOCATION: (7)..(7)
     251 <223> OTHER INFORMATION: X is an amino acid chosen from valine, leucine, isoleucine
     252 thionine
     255 <400> SEQUENCE: 4
W--> 257 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
     258 1
     261 <210> SEQ ID NO: 5
     262 <211> LENGTH: 5
     263 <212> TYPE: PRT
     264 <213> ORGANISM: ARTIFICIAL SEQUENCE
     266 <220> FEATURE:
     267 <223> OTHER INFORMATION: SYNTHETIC PEPTIDE
     269 <220> FEATURE:
     270 <221> NAME/KEY: MISC FEATURE
     271 <222> LOCATION: (1)..(1)
     272 <223> OTHER INFORMATION: X is a basic amino acid or an amino acid chosen from valine,
leuc
              ine, isoleucine and methionine
     273
```

276 <220> FEATURE:

277 <221> NAME/KEY: MISC\_FEATURE 278 <222> LOCATION: (2)..(2)

RAW SEQUENCE LISTING DATE: 11/07/2002 PATENT APPLICATION: US/09/674,496A TIME: 15:36:04

Input Set : A:\199463USOXPCT.ST25.txt
Output Set: N:\CRF4\11072002\1674496A.raw

```
279 <223> OTHER INFORMATION: X is/asparagine or glutamine or a basic amino acid
     282 <220> FEATURE:
     283 <221> NAME/KEY: MISC FEATURE
     284 <222> LOCATION: (3)..(3)
     285 <223> OTHER INFORMATION: X is proline
     288 <220> FEATURE:
     289 <221> NAME/KEY: MISC FEATURE
     290 <222> LOCATION: (4)..(4)
     291 <223> OTHER INFORMATION: X is an amino acid chosen from alanine, serine, glycine and
threo
     292
               nine
     295 <220> FEATURE:
     296 <221> NAME/KEY: MISC FEATURE
     297 <222> LOCATION: (5)..(5)
     298 <223> OTHER INFORMATION: X is an amino acid chosen from alanine, serine, glycine and
threo
              nine
     299
     302 <400> SEOUENCE: 5
W--> 304 Xaa Xaa Xaa Xaa Xaa
     305 1
     308 <210> SEQ ID NO: 6
     309 <211> LENGTH: 37
     310 <212> TYPE: PRT
     311 <213> ORGANISM: ARTIFICIAL SEQUENCE
    313 <220> FEATURE:
     314 <223> OTHER INFORMATION: SYNTHETIC PEPTIDE
     316 <400> SEQUENCE: 6
     318 Ala Ser Cys Asn Gly Val Cys Ser Pro Phe Glu Met Pro Pro Cys Gly
                                             10
     322 Thr Ser Ala Cys Arg Cys Ile Pro Val Gly Leu Val Ile Gly Tyr Cys
                     20
                                         25
     326 Arg Asn Pro Ser Gly
     327
                35
     330 <210> SEQ ID NO: 7
     331 <211> LENGTH: 37
     332 <212> TYPE: PRT
     333 <213> ORGANISM: ARTIFICIAL SEQUENCE
     335 <220> FEATURE:
     336 <223> OTHER INFORMATION: SYNTHETIC PEPTIDE
     338 <400> SEQUENCE: 7
     340 Ala Ser Cys Asn Gly Val Cys Ser Pro Phe Glu Met Pro Pro Cys Gly
                                             10
     344 Thr Ser Ala Cys Arg Cys Ile Pro Val Gly Leu Val Val Gly Tyr Cys
                     20
                                         25
     348 Arg Asn Pro Ser Gly
     349
                 35
     352 <210> SEQ ID NO: 8
     353 <211> LENGTH: 37
     354 <212> TYPE: PRT
     355 <213> ORGANISM: ARTIFICIAL SEQUENCE
     357 <220> FEATURE:
```



RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/09/674,496A

DATE: 11/07/2002 TIME: 15:36:05

Input Set : A:\199463USOXPCT.ST25.txt
Output Set: N:\CRF4\11072002\1674496A.raw

#### Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1,3,5,7,9,11,13 Seq#:2; Xaa Pos. 1,2,3,4,5,6,7 Seq#:3; Xaa Pos. 1,1,8,4 Seq#:4; Xaa Pos. 1,2,3,4,5,4,8,9 Seq#:5; Xaa Pos. 1,2,3,4,5,